

## A Powerful Recycling Unit from STOKOTA



### Key Features:

- **Small Footprint / Large Capacity**
- **Debris Tank Capacity:** 9,000Litres
- **Water Tank Capacity:** 6,000Litres
- **Liquid Ring Vacuum Pump:** 2,400m<sup>3</sup>/hr
- **Suction Lift up to:** 10 – 14Metres
- **Compressor – Rotary Vane:** Denver Wittig SL20
- **Air Flow:** 165m<sup>3</sup>/hr
- **Triplex Jetting Pump:** Uraca P3-45
- **Water Flow:** 350Litres/min
- **Operating Noise Level:** Less than 80DbA



### Key Features:

- Self Cleaning Rotating Filter System
- Powerful Cyclone Filter System
- Maximum Performance / Minimum Space
- Continuous Filtering Process – No Loss of Performance
- No Back Flushing
- No Filter Changing
- No Switchover to Parallel System
- Full Rear Door – No Step – Easy to Clean
- Front Tipping Ram with Safety Support
- Foldable Safety Handrails on Top of Tank





**Key Features:**

- |                       |   |
|-----------------------|---|
| • Water Saddle Tanks: | <b>Stainless Steel 304L</b>                       |
| • Low Water Level:    | <b>Audible Alarm</b>                              |
| • Water Tanks Vented: | <b>Front &amp; Rear for Working on Slopes</b>     |
| • Suction Hose:       | <b>Cassette Mounted on Top of Tank</b>            |
| • Suction Hose:       | <b>12Metres x 5" Armoured Rubber Hose</b>         |
| • Suction Hose:       | <b>Full Hydraulic Operation - For ease of Use</b> |
| • Jetting Hose Reel:  | <b>Mounted at Rear – Hydraulic Operation</b>      |
| • Jetting Hose:       | <b>120Metres x 1¼" High Pressure Hose</b>         |





## Key Features:

- **Working Lift between:** 10 – 12Metres
- **Control Panel:** Rear Nearside
- **Combination Swivel Operation:** Suction and Jetting Hose
- **Mounting Option:** Nearside or Offside Operation

